AMENDMENTS TO THE CLAIMS

1. (Previously presented) A method for synthesizing metal oxide nanoparticles, comprising:

forming a reverse micelle solution by adding distilled water, a surfactant and a solvent to metallic salt of not less than trivalent, precipitating and separating gel type amorphous metal oxide particles by adding proton scavenger to the reverse micelle solution;

adjusting a molar ratio of metal oxide to the surfactant by washing the gel type amorphous metal oxide particles with a polar solvent; and

crystallizing metal oxide nanoparticles by heating or reflux after dispersing the gel type amorphous metal oxide particles in a non-polar solvent having a boiling point greater than 165°C.

2. (Original) The method of claim 1, wherein a size of a finally obtained metal oxide particle is increased according to increase of a molar ratio of distilled water to metallic salt.

3. (Original) The method of claim 1, wherein the surfactant is one selected from RCOOH, RNH_2 or mixtures thereof, and R- is alkyl or alkenyl consisting of hydrocarbon chains not less than six.

4. (Original) The method of claim 1, wherein the solvent for forming the reverse micelle solution is one selection from dibenzylether or diphenylether.

5. (Previously presented) The method of claim 1, wherein the proton scavenger is one selection from ethylene oxide, propylene oxide, 1,2-epoxybutane, 1,2-epoxypentane, 2,3-epoxypropylbenzene, trimethylene oxide, glycidol, epichlorohydrin, or epibromohydrin.

6. (Original) The method of claim 1, wherein the polar solvent for washing the gel type amorphous metal oxide particles is one selected from methanol, ethanol, propanol or acetone.

7. (Original) The method of claim 1, wherein shape anisotropy of crystallized metal oxide particles can be increased by increasing the number of the gel type amorphous metal oxide particles-washing times.

8. (Original) The method of claim 1, wherein a non-polar solvent for heating or refluxing the gel type amorphous metal oxide particles is tetralin.

9. (Original) The method of claim 1, wherein magnetism of the metal oxide nanoparticle is increased according to increase of heating or reflux time.

10. (Previously presented) The method of claim 1, wherein the metallic salt of not less than trivalent includes metallic ions selected from Fe^{3+}, RU^{3+}, Os^{3+}, Cr^{3+}, Al^{3+}, In^{3+}, Ga^{3+}, Sn^{4+}, Zr^{4+}, Hf^{4+}, Nb^{5+}, W^{6+}, Y^{3+}, La^{3+}, Ce^{3+}, Pr^{3+}, Nd^{3+}, Pm^{3+}, Sm^{3+}, Eu^{3+}, Gd^{3+}, Tb^{3+}, Dy^{3+}, Ho^{3+}, Er^{3+}, Tm^{3+}, Yb^{3+}, or Lu^{3+}.

11. (Previously presented) The method of claim 1, wherein the metal salt of not less than trivalent is a trivalent ferric salt is one selected from the group consisting of $FeCl_3$ or hydrate thereof ($FeCl_3.xH_2O$), $Fe(NO_3)_3$ or hydrate thereof [$Fe(NO_3)_3.xH_2O$], $Fe_2(SO_4)_3$ or hydrate thereof [$Fe_2(SO_4)_3xH_2O$], $FePO_4$ or hydrate thereof [$FePO_4xH_2O$], $Fe(OOCCH_3)_3$ or hydrate thereof [$Fe(OOCCH_3)_3.xH_2O$], and the nano-sized metal oxide particles are maghemite (γ-Fe_2O_3) or hematite (α- Fe_2O_3) or maghemite and hematite-mixed particles.

12. (Previously presented) The method of claim 11, wherein only maghemite phase is obtained by eliminating moisture from the gel type amorphous metal oxide particles through vacuum-drying and performing reflux at a temperature in the range of from about 214 - to about 224°C in a nitrogen atmosphere.

13. (Previously presented) The method of claim 11, wherein only hematite phase is obtained by drying the gel type amorphous metal oxide particles only in the atmosphere and heating at a temperature in the range from about 150- to about 168°C in a nitrogen atmosphere.

14. (Previously presented) The method of claim 1, wherein maghemite and hematite-mixed phase is obtained by drying the gel type amorphous metal oxide particles only in the atmosphere and performing heating or refluxing at a temperature in the range from about 150 - to about 224°C in a nitrogen atmosphere.

15. Cancelled.

16. (Currently amended) ~~Rod-shaped maghemite (γ-Fe_2O_3) nanoparticles~~ The method of claim 1, wherein the metal oxide nanoparticles are rod-shaped maghemita (γ-Fe_2O_3) nanoparticles ~~are synthesized by the method of claim 1,~~ having an average diameter ~~thereof is within~~ of 2~10nm and a ratio of length to diameter thereof ~~exceed~~ that exceeds 1 and is not greater than 10.

17. Cancelled.

18. (Currently amended) ~~Rod-shaped hematite (α- Fe_2O_3) nanoparticles~~ The method of claim 1, wherein the metal oxide nanoparticles are rod-shaped hematite (α-Fe_2O_3) nanoparticles ~~are fabricated by the method of claim 11,~~ having an average diameter

thereof ~~is within~~ of 2~10 nm, and a ratio of length to diameter thereof ~~is not less than~~ that exceeds 1 and is not greater than 10.

19. Cancelled.

20. (Currently amended) ~~Rod-shaped maghemite (γ-Fe_2O_3) and hematite (α-Fe_2O_3) mixed nanoparticles~~ The method of claim 1, wherein the metal oxide nanoparticles are rod-shaped maghemite (γ-Fe_2O_3) and hematite -(α- Fe_2O_3)-mixed ~~particles are fabricated by the method of claim 11,~~ nanoparticles having an average diameter ~~thereof is within 2-20~~ of 2~10nm, and a ratio of length to diameter thereof that exceeds 1 and is not greater than 10.